

ACRN Current Clinical Trials Portfolio Closed Studies

Site: Breast Studies

Trial and Title	Status	Network Total
IM Study Ifosfamide and mitomycin C in advanced breast cancer, refractory or resistant to anthracyclines.	CLOSED and archived	10
Anglo-Celtic A comparison of relatively intensive chemotherapy and highly intensive chemotherapy + stem cell transplant in high risk breast cancer patients.	CLOSED July 99	14
AB01 CT of Epirubicin & Cyclophosphamide vs. Epirubicin & Paclitaxel in the treatment of women with metastatic breast cancer.	CLOSED Nov. 99	5
ATAC A comparison of tamoxifen alone, arimidex alone and tamoxifen and arimidex in combination in post menopausal breast patients.	CLOSED 03 Dec.99	112
Faslodex Study Double blind study comparing Faslodex and Nolvodex in postmenopausal women with advanced breast cancer.	CLOSED June 00	9
NEAT A comparison of Classical CMF and epirubicin + CMF, in women with early stage breast cancer. NCRN	CLOSED Aug. 01	279
TEXAS Study Taxotere Experience with Anthracyclines Study (open label study examining docetaxel in combination with epirubicin or doxorubicin as first line chemotherapy for metastatic breast cancer).	CLOSED Sept. 01	22
ZOMETA Study A randomised, open-label, multicentre, cross-over clinical study (hospital versus community therapy) to evaluate the efficacy, safety, and tolerability of intravenous Zometa (zoledronic acid) 4mg in the treatment of breast cancer patients with cancer related bone lesions.	CLOSED Dec. 01	4
Exemestane Study A double blind trial in postmenopausal women with primary breast cancer who have received adjuvant Tamoxifen for 2 - 3 years, comparing subsequent adjuvant Exemestane treatment with further Tamoxifen.	CLOSED Dec. 01	17
TACT Study Taxotere as Adjuvant Chemotherapy. A randomised trial of standard anthracycline based chemotherapy with fluorouracil, epirubicin and cyclophosphamide (FEC) or epirubicin and CMF (Epi-CMF) vs. FEC followed by sequential docetaxel as adjuvant treatment for women with early breast cancer. NCRN	CLOSED 16/06/03	84

HRT UK randomized trial of Hormone Replacement Therapy (HRT) on women with a history of early stage breast cancer NCRN	Suspended 01/01/04	0
SECRAB Sequencing of chemotherapy in adjuvant breast cancer. NCRN		366
Tango A phase III randomized trial of gemcitabine in paclitaxel-containing, epirubicin based adjuvant chemotherapy for women with early stage breast cancer. NCRN	CLOSED 26/11/04	4
ATTOM CT to assess the benefits and risks of prolonging adjuvant tamoxifen treatment in early breast cancer. NCRN	CLOSED 31/03/05	719
FH01 Mammogram Surveillance Study Evaluation of mammographic surveillance services in women under 50 with a family history of breast cancer NCRN	CLOSED 20/06/05	46
TEAM An open label randomised multicentre comparative trial of 5 years adjuvant exemestane treatment in postmenopausal women with early breast cancer, plus bone sub protocol. NCRN	CLOSED 16/09/05	99
AZURE Does adjuvant Zoledronic acid reduce recurrence in patients with high risk localized breast cancer? NCRN	CLOSED 20/01/06	162
WWW A randomized 2-arm, prospective, multi-centre, open label Phase III trial comparing the activity and safety of a weekly versus a 3-weekly Paclitaxel treatment schedule in patients with advanced metastatic breast cancer NCRN	CLOSED 31/07/06	22
COMICE Multi-centre randomised controlled trial examining the cost-effectiveness of contrast-enhanced high field magnetic resonance imaging in women scheduled for wide local excision. NCRN	CLOSED 31/01/07	23
Sprog G-CSF (filgrastim) Secondary Prophylaxis in the Adjuvant Chemotherapy of Early Breast Cancer NCRN	CLOSED 31/3/07	62

Site: Colorectal/Upper GI

Trial and Title	Status	Network Total
AXIS Observes portal vein infusion of 5FU in colorectal patients and peri operative radiotherapy for rectal ca. patients in terms of overall survival.	CLOSED	57
FUMB Oral 5FU vs IV 5FU + LV A comparison of a 28 day oral regime of 5FU vs. 5FU + LV as first line therapy in patients with advanced colorectal carcinoma.	CLOSED July 99	15
PETTAC A comparison of 5FU + LV with Tomudex as an adjuvant treatment in patients with carcinoma of the colon.	CLOSED Aug 99 Archived 01/09/03	22
ACT II pilot The 2 nd UKCCR anal cancer trial (5FU + MMC + Cisplatin). <div style="text-align: right;">NCRN</div>	CLOSED Nov. 99	2
MAGIC (ST02) (93793971) Adjuvant gastric infusional therapy trial. <div style="text-align: right;">NCRN</div>	CLOSED Apr 02	0
PT. PREF A randomised cross-over trial comparing Capecitabine with intravenous 5-fluorouracil plus leucovorin (Mayo regimen) or intravenous 5-fluorouracil infusion plus leucovorin (de Gramont regimen) in advanced colorectal cancer for patient preference, quality of life and satisfaction. <div style="text-align: right;">Commercial</div>	CLOSED 22/04/03	17
RCR Chemoradiation Study A study observing dose escalation of 5FU in combination with radiotherapy as an adjuvant treatment in patients with rectal cancer. <div style="text-align: right;">Local non-nationwide</div>	CLOSED 05/03	23
Tomudex and Radiotherapy A phase II study of Tomudex plus radiotherapy in subjects with advanced inoperable/recurrent rectal cancer. <div style="text-align: right;">Local non-nationwide</div>	CLOSED July 03	30
QUASAR 1 Continues the 'uncertain' arm of the Quasar study to compare chemo vs. observation in patients with colorectal cancer. <div style="text-align: right;">NCRN</div>	CLOSED 23/12/03	186
VICTOR Phase III, randomised, double blind, placebo controlled study of rofecoxib (VIOXX) in colorectal cancer patients following potentially curative therapy. <div style="text-align: right;">NCRN</div>	CLOSED 30/09/04	85
ESPAC-QLQ		

Validation of the European Study Group for pancreatic cancer Quality of Life Questionnaire for patients with pancreatic cancer NCRN	CLOSED 16/02/05	6
CR07 (28785842) Compares pre-operative radiotherapy and selective post-operative radiotherapy in rectal carcinoma. NCRN	CLOSED 05/08/05	151
GEM-CAP A phase III multicentre randomised clinical trial comparing gemcitabine alone or in combination with Capecitabine for the treatment of patients with advanced pancreatic cancer. NCRN	CLOSED	6
GPRS Mobile Phone Project Using GPRS mobile technology for managing symptoms associated with chemotherapy for colorectal cancer	Not Activated	

Site: Gynaecology

Trial and Title	Status	Network Total
ICON3 CT comparing Taxol + Carboplat vs. Carboplat alone in the treatment of patients with advanced ovarian cancer.	CLOSED 1998	11
Ce04 (54178182) Radiotherapy vs. chemotherapy and radiotherapy as adjuvant treatment for node positive IB or IIA cervical carcinoma.	CLOSED Nov 99	0
ICON 1 (11916376) CT to assess the value of adjuvant chemotherapy in patients with early stage ovarian cancer.	CLOSED Jan. 00	4
OVO6 (84121653) Interval debulking surgery in ovarian cancer. NCRN	CLOSED July 01	1
ICON4 (47434271) CT to compare Taxol + Carboplat and Carboplat alone in the treatment of patients with relapsed ovarian cancer. NCRN	CLOSED March 02	13
ASTEC (16571884) A Study in the treatment of endometrial cancer. NCRN	CLOSED 10/08/05	30

Site: Lung

Trial and Title	Status	Network Total
LU20 CT comparing radiotherapy with chemotherapy-surgery/radiotherapy in patients with non small cell lung cancer.	CLOSED July 99	0
Study 10 A comparison of Gemcitabine/Carboplatin with Cisplatin/Etoposide in small cell lung cancer NCRN	CLOSED Sept 01	13
BLT CT to determine the value of Cisplatin based chemotherapy for all patients with non small cell lung cancer. NCRN	CLOSED Nov 01	46
LU21 (47862456) CT comparing standard chemotherapy with VICE chemotherapy for patients with small cell lung cancer. NCRN	CLOSED Feb 02	5
Meso-1 Treatment of Mesothelioma: Randomised feasibility study of active symptom control with or without chemotherapy in the treatment of patients with mesothelioma. NCRN	Now MS01	Closed
Gelcaps Genetic lung cancer predisposition study. NCRN	CLOSED 30/06/04	51
LU22 (25582437) Pre-operative chemotherapy in resectable non small cell lung cancer. NCRN	CLOSED 29/07/05	1
GRIN A Phase III Study of Radical Radiotherapy with or Without Gemcitabine in Patients with T1-2NO-1 MO Non-Small Cell Lung Cancer NCRN	CLOSED 04/01/06	1
Study 12 A Phase III randomised, double-blind, placebo controlled trial of Carboplatin/Etoposide with or without Thalidomide in small cell lung cancer NCRN	CLOSED 06/02/06	21
MS01 A randomized controlled trial of active symptom control with or without	CLOSED 31/07/06	16

chemotherapy in the treatment of patients with malignant pleural Mesothelioma NCRN		
---	--	--

Site: Urology

Trial and Title	Status	Network Total
BA08 CT to assess the response rate to CMV chemotherapy in patients with pure squamous cell cancer of the bladder.	CLOSED March 99	1
TE20 A comparison of 3 vs. 4 cycles of BEP and 3 vs. 5 days treatment in patients with good prognosis germ cell tumour.	CLOSED and archived	3
BA10 Continuous 5FU in recurrent locally advanced or metastatic transitional cell carcinoma of the urinary tract.	CLOSED 30/09/00	0
TE19/TE18 (27163214) Carboplat vs. radiotherapy for stage 1 testicular cancer (TE19) and two schedules of radiotherapy.	CLOSED March 01	15
RT01 (47772397) High dose therapy in localised cancer of the prostate using conformal radiotherapy techniques. NCRN	CLOSED Dec. 01	3
TIP (97243663) Chemotherapy for relapsed germ cell tumours. NCRN	CLOSED Nov 02	1
BS06 (65282717) Clinical trial to determine the efficacy of radical radiotherapy in patients with cancer of the bladder.	CLOSED 28/02/03	0
TE08 (56475197) A study of CT scan frequency in patients with stage 1 testicular teratoma. NCRN	CLOSED 30/04/03	1
PR07 (24991896) A randomised trial of hormone therapy plus radical radiotherapy versus hormone therapy alone in non-metastatic prostate cancer NCRN	CLOSED 31/08/05	19
ODMIT C A multicentre, prospective, randomised study to the value of a single dose of intravesical mitomycin in preventing the development of bladder tumours following nephroureterectomy for transitional cell carcinoma of the upper urinary tract NCRN	CLOSED Dec 2006	3

Site: Head and Neck

--	--	--

Trial and Title	Status	Network Total
UKHAN CT of chemotherapy with radiotherapy for advanced squamous carcinoma of the head and neck.	CLOSED June 00	23
PARSPORT A multicentre randomised study of parotid sparing intensity-modulated radiotherapy in patients with head and neck cancer. NCRN	Not activated	

Site: Skin

Trial and Title	Status	Network Total
EORTC 18961 Post-operative adjuvant ganglioside GM2-KLH/QS-21 vaccination treatment vs. observation after resection of primary cutaneous melanoma (AJCC Stage II) A-2 arm multicentre randomised phase III trial NCRN	CLOSED 28/11/05	4

Site: Miscellaneous

Trial and Title	Status	Network Total
EPREX A quality of life study observing the effect of eporex on anaemic patients.	CLOSED and archived	6 all via centre
EPREX 2 Randomised study to compare the effect of early intervention and/or treatment with epoetin alfa vs. conventional care of anaemia in ovarian cancer patients receiving platinum-based chemotherapy.	CLOSED and archived	10 all via centre
Significant A Randomised Prospective, Double-Blind, Placebo Controlled Trial of Prophylactic Oral Levofloxacin Following Chemotherapy for Lymphoma and Solid Tumours NCRN	CLOSED	0
WARP A Multicentre, Prospective, Randomised, Controlled Trial of Thrombosis Prophylaxis with Warfarin in Cancer Patients with Central Venous Catheters NCRN	CLOSED 17/12/04	24
Cachexia (ARK 201) A phase III, multi-centre, double-blind, randomized, placebo-controlled study of Imidapril (EG006) in the treatment of cancer Cachexia Commercial	CLOSED 20/06/05	0
Nutrition Study A randomised controlled trial of nutritional intervention for patients with weight loss who are undergoing chemotherapy for gastrointestinal or lung malignancy.	CLOSED 07/09/06	1

Site: Lymphoma

Trial and Title	Status	Network Total
LY03 Observation vs. Chlorambucil after anti-helicobacter therapy in low grade gastric lymphoma.	CLOSED Jan 01	1
CHOP vs. MCOP In elderly patients (65yrs +) with intermediate and high grade NHL.	CLOSED May 01	2
LY09 Therapies for advanced HD. NCRN	CLOSED Sept. 01	7
Poor Risk High Grade NHL (LY02) Evaluates early high dose therapy and autologous bone marrow transplant as part of planned initial therapy for poor risk intermediate/high grade NHL. NCRN	CLOSED Oct. 01	5
LY07 Compares short neo-adjuvant chemotherapy plus radiotherapy (MIT) vs. mantle radiotherapy. NCRN	CLOSED	14
NHL Good Risk Phase III trial comparing CHOP to PmitCEBO in good risk patients with histologically aggressive non Hodgkin's lymphoma NCRN	CLOSED 01/11/03	2
BNLI 60+ A phase III trial comparing CHOP to PmitCEBO with or without G-CSF in patients aged 60 plus with aggressive non-Hodgkin's lymphoma NCRN	CLOSED 01/12/03	0
Mistral Multicentre International Study on the Treatment of Aggressive Lymphomas NCRN	CLOSED 01/12/03	0
BNLI Radiation Dose BNLI randomised trial of radiation dose in non-Hodgkin's lymphoma NCRN		Abandoned
LY10 A clinicopathological study in Burkitts and Burkett's like Non Hodgkin's lymphoma NCRN	CLOSED 31/05/05	1
MCD v FMD A randomised controlled trial to compare the efficacy of adding Fludarabine or Chlorambucil to a mitoxantrone and dexamethasone combination in Follicular low grade lymphoma	CLOSED 03/05/06	8

Site: Haematology

Trial and Title	Status	Network Total
AML 12 AD Acute Myeloid Leukaemia Trial 12 for Patients with AML aged under 60 NCRN	CLOSED	15
CLL4 LRF Study Chronic Lymphocytic Leukaemia Trial 4 January 2000. A Randomised Comparison of Chlorambucil, Fludarabine and Fludarabine plus Cyclophosphamide. NCRN	CLOSED 31/08/04	1
BAP in AML The use of Bezfibrate and Medroxyprogesterone Acetate in Acute Myeloid Leukaemia and RARB type 2 – A phase II non-randomised trial	CLOSED 11/09/06	2
AML 14 LRF Study A randomised trial for patients with Acute Myeloid Leukaemia or High Risk Myelodysplastic Syndrome aged 60 or over. NCRN	CLOSED 03/04/06	13